

## **Common medication side effects after surgery**

If you experience minor side effects, consult the prescribing doctor before stopping any medication.

For serious side effects like difficulty breathing or severe confusion, call 911 or go to the nearest emergency room immediately.

	Antibiotics:	Pain Medications:
	<ul> <li>Purpose: to fight infection</li> <li>Stomach pain</li> <li>Loose stools</li> <li>Upset stomach</li> <li>Rash, swollen lips, trouble breathing (allergic reaction)</li> </ul>	<ul> <li>Purpose: to reduce pain</li> <li>Nausea</li> <li>Constipation</li> <li>Drowsiness</li> <li>Dizziness</li> <li>Confusion</li> </ul>
	Stool Softeners:	Antinausea Medications:
	<ul> <li>Purpose: to prevent constipation</li> <li>Loose stools</li> <li>Stomach cramps</li> <li>Upset stomach</li> </ul>	<ul> <li>Purpose: to alleviate nausea</li> <li>Headache</li> <li>Drowsiness</li> <li>Lightheadedness</li> <li>Constipation</li> </ul>
	Antacids:	Muscle Relaxants:
	Purpose: to minimize acid and protect the stomach  • Headache  • Upset stomach  • Loose stools	<ul> <li>Purpose: to reduce muscle spasms</li> <li>Drowsiness</li> <li>Dizziness</li> <li>Dry mouth</li> <li>Confusion</li> </ul>

Confusion